

## HEAVY DUTY EQUIPMENT STANDS



### Specifications

Heavy duty 16 gauge 304 series stainless steel top.

Heavy duty galvanized steel pipe legs for strength and durability (1 5/8" diameter).

Heavy duty aluminized bottom shelf.

5" rubber casters have 200 lbs weight per caster strength (800 lbs per table).

### Heavy-Duty Cookline Stands

#### Model

TS-S-24 C/L

TS-S-36 C/L

TS-S-48 C/L

TS-S-60 C/L

TS-S-70 C/L

### Standard Features

Stainless Steel top shelf, Aluminized bottom shelf and galvanized steel legs equipment stands available from 18" to 72" sizes, designed to hold individual or multiple units.

Stainless steel top shelf is designed with a 1 3/4" lip to prevent equipment from sliding off back, front and sides.

Equipment stands are designed to raise equipment to the most convenient cooking heights.


One inch "bullet feet" are adjustable and convertible to optional casters.

All tables shipped "knocked down" and are easily assembled.

Bottom shelf is adjustable.

### Certifications





## Product Specifications

### Construction:

Stainless steel top shelf, aluminized bottom shelf, galvanized steel legs.

### Overall Dimensions:

Model	L	D	H	Weight
TS-S-24C	24	30	29	50
TS-S-24L	24	30	24	48
TS-S-30C	30	30	29	57
TS-S-30L	30	30	24	50
TS-S-36C	36	30	29	59
TS-S-36L	36	30	24	57
TS-S-48C	48	30	29	71
TS-S-48L	48	30	24	69
TS-S-60C	60	30	29	80
TS-S-60L	60	30	24	78
TS-S-72C	72	30	29	89
TS-S-72L	72	30	24	87

## Consultant Specifications

Equipment stands are constructed of stainless steel, aluminized and galvanized steel. Stainless steel top shelf will have 1 3/4" lip around all of the perimeter. Galvanized legs should be 1 7/8" radius. Aluminized bottom shelf will be adjustable. Bullet legs will be adjustable. Units are NSF listed.

### Shipping:

Freight Class:70

FOB: Standex Dock